The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23950

Stream : Unnamed Tributary Flaugh

Ditch

Applicant : Covenant Care of Indiana

Doug Shuck

27071 Aliso Creek Road

Suite 100

Alsio Viejo, CA 92656-5327

Description : Approximately 60,000 square feet of material will be excavated from the left bank

to provide additional flood storage. Details of the project are contained in

information and plans received at the Division of Water on August 10, 2006 and

August 22, 2006.

Location : Along the south (left) bank, approximately 700' upstream of the Jefferson Street

stream crossing

near Fort Wayne, Wayne Township, Allen County

SE1/4, SE1/4, Section 7, T 30N, R 12E, Fort Wayne West Quadrangle

Quad Code: 4108512

UTM Coordinates: Downstream 4547335 North, 650055 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 09/07/2006 12:14 PM

Application # : FW-23953

Stream : Wildcat Creek

Applicant : Roy D Meeks

13 Eaglecrest Court

West Lafayette, IN 47906-8837

Description : An approximate 200' long by 5' high retaining wall will be constructed along the

left (south) bank og the river. The retaining wall will be constructed out of interlocking 4' long by 18" wide by 18" deep concrete blocks on a 3' wide by 12" deep concrete footing. The area landward of the proposed wall will be backfilled with #2 stone and clean fill dirt and will be leveled with the top of the wall. Details of the project are contained in information and plans received at the Division of

Water on August 11, 2006.

Location : 525 Shady Creek Drive; Lot 5 in Wildcat Valley Estates Subdivision Phase 1;

approximately 4400' north of State Road 26 and 5600' west of County Road 550

East

near Lafayette, Fairfield Township, Tippecanoe County

SE14, NE14, NW14, Section 24, T 23N, R 4W, Lafayette East Quadrangle

Quad Code: 4008647

UTM Coordinates: Downstream 4475449 North, 515318 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23954

Stream : Cobus Creek

Applicant : Elkhart Parks Department

Larry Neff

211 West Lincoln Avenue Goshen, IN 46526-3218

Description : A 16' wooden floating platform will be constructed parallel to and along the right

bank. A 24' wooden raised walkway will lead from a stone trail west of the stream and connect to the platform. Details of the project are contained in information

and plans received at the Division of Water on August 14, 2006.

Location : Along the right bank, approximately 4500' upstream of the confluence of Gast

Ditch

near Elkhart, Cleveland Township, Elkhart County

SW¼, NE¼, NW¼, Section 34, T 38N, R 4E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4617771 North, 578537 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23971

Stream : Kokomo Creek

Applicant : City of Kokomo

Carey Stranahan

100 South Union Street Kokomo, IN 46901-4608

Description : A 230' long, 3' high retaining wall will be constructed within the existing Highland

Park. In addition, an existing parking lot and playground will be reconstructed and concrete sidewalks will be installed. All work will be done at the existing grade. Details are contained in information and plans received at the Division of

Water on August 21, 2006.

Location : At the intersection of Center Drive and Shady Boulevard; approximately 75' north

and 1100' west of the South Webster and East Firmin Street intersection,

extending approximately 450' north and 250' west

DOWNSTREAM: at Kokomo, Clay Township, Howard County

NW1/4, NE1/4, SW1/4, Section 1, T 23N, R 3E, Kokomo West Quadrangle

Quad Code: 4008642

UTM Coordinates: Downstream 4480167 North, 572792 East

UPSTREAM: NW1/4, NE1/4, SW1/4

UTM Coordinates: Upstream 4480060 North, 572837 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 4 09/07/2006 12:14 PM

Application # : FW-23977

Stream : St. Joseph River

Applicant : Bill Flora

Bill Flora

23706 Greenleaf Boulevard Elkhart, IN 46514-4436

Description : An existing concrete seawall will be refaced with steel sheet piling along 191' of

the north (right) bank. The top of the wall will be 32" above the water surface, and sand and stone will be used to fill behind the wall. Details of the project are contained in information and plans received at the Division of Water on August 23

2006.

Location : Along the north bank (right) bank, approximately 300' south of Greenleaf

Boulevard and approximately 6700' east of the intersection of Greenleaf

Boulevard and Walnut Street

near Elkhart, Osolo Township, Elkhart County

SW¼, SE¼, SW¼, Section 35, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4616632 North, 589750 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23979

Stream : Junk Ditch

Applicant : The Golf Dome

Daniel Arnold

Thistle Recreation LLC 3894 New Vision Drive Fort Wayne, IN 46845-1708

Description : Three 30' by 60' buildings will be constructed at 756.00', NGVD. These buildings

will be placed on a total of 1500 cys of fill material excavated from another site within the floodway. Two additional parking areas will be constructed adjacent to

the existing parking area, extending the existing parking area to both the

southwest and northeast. The southwest addition will be approximately 216' by 180' and the northeast addition will be approximately 140' by 438'. This project will also include the clearing and regrading of approximately 1400' of each of the two existing swales. These sites will then be seeded and mulched and the excavated material will be placed at another location within the floodway. Two foot bridges, each 10' in width, will be placed across the more northern swale to connect to the parking area. Details of the project are contained in information

and plans received at the Division of Water on August 24, 2006.

Location : Approximately 2875' north and 1600' west of the Smith Road and Knoll Road

intersection, extending about 1400' north and 1600' west

DOWNSTREAM: near Fort Wayne, Wayne Township, Allen County

NE¼, NW¼, NE¼, Section 19, T 30N, R 12E, Fort Wayne West Quadrangle

Quad Code: 4108512

UTM Coordinates: Downstream 4545294 North, 650033 East UPSTREAM: NE¼, SW¼, SE¼, Section 18, T 30N, R 12E

UTM Coordinates: Upstream 4545723 North, 650018 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23983

Stream : Flatrock River

Applicant : Nugent Sand Company

> Robert Holt 1833 River Road

Louisville, KY 40206-1002

Description

: A project will consist of the removal of the top layer of overburden which will be kept on-site for reclamation purposes or sold as topsoil. The sand and gravel will be rmoved by the use of a hydraulic suction dredge once water level has been reach. The material will be processed either on-site or conveyed to our existing plant at another nearby location. The material will be washed and sized for retail sale. The removal of overburden is estimated to be around 6'-10' thick, which would result in about 2,000,000 cubic yards of material. At least 40' of sand and gravel will be available which would result in just over 10,000,000 cubic yards of material. The area available for mining will be 148 acres +/-. Details of the project are contained in information and plans received at the Division of Water

on August 25 2006.

Location Along the west (right) overbank, beginning apporiximately 2,600 linear feet

> upstream of the confluence of Big Slough Creek and continuing upstream 3,000' DOWNSTREAM: near Columbus, German Township, Bartholomew County

NW1/4, Section 36, T 10N, R 5E, Edinburgh Quadrangle

Quad Code: 3908538

UTM Coordinates: Downstream 4346710 North, 592915 East

UPSTREAM:

UTM Coordinates: Upstream 4347500 North, 592500 East

Statute/Rule Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23984

Stream : Crittenden Creek

Applicant : Greg Midgley

Amy Inman

4515 Eagle Creek Parkway

Suite 312

Indianapolis, IN 46254-4375

Description : Proposed construction of the Crittenden Creek Equestrian Trail will consist of

stabilizing about 25' of the creek banks and the gravel bottom creek bed. The project will include a gradual grade 25' in length on both sides with a grade not to exceed 2:1. The crossing will be hardened on each side of the creek with a layer of geotech fabric and stone used to stablilize the ground approaching the creek. The stone and fabric will be keyed into the creekbed at its base and will conform to the existing bank at the project limits. No heavy equipment will be used to construct the crossing. Installation of French drains along the base of the adjacent elevated area railbed will facilitate drainage into the creek under and away from the equestrian trail and creek crossing. Details of the project are contained in information and plans received at the Division of Water on August 25

2006.

Location : Just downstream of the Conrail stream crossing

near Coatesville, Clay Township, Hendricks County

NE14, NW14, NE14, Section 4, T 14N, R 2W, Coatesville Quadrangle

Quad Code: 3908666

UTM Coordinates: Downstream 4393137 North, 531073 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23988

Stream : Juday Ditch

Applicant : NiSource

Brian Kortum

801 East 86th Avenue Merrillville, IN 46410-6271

Description : A 12" diameter steel high pressure gas pipeline will be placed beneath Juday

Creek to extend a new gas line on the south side of Cleveland Road from Bittersweet Road 6,850' to the west. The line will be placed by the directional bore method. It will have 17' of cover beneath the streambed and at least 3' in the banks. The bore hole will be 210' from the west bank of Juday Creek and 230' from the east bank of the creek. Details of the project are contained in

information received electronically at the Division of Water on September 1, 2006.

Location : The project is located on the south side of Cleveland Road between Bittersweet

Road west to the railroad crossing

at Mishawaka, Harris Township, St. Joseph County

Section 30, T 38N, R 4E, Osceola Quadrangle

Quad Code: 4108661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23989

Stream : West Fork White River

Applicant : White River Yacht Club

Jim Keeler

5228 Winthrop Avenue Indianapolis, IN 46220

Description : The White River Yacht Club is preparing design plans for the construction of a

low-pressure sewer system to serve the Yacht Club and two existing single-family residences. The proposed system will replace existing septic systems that currently serve the buildings. The project involves the installation of two to three individual grinder pump stations and approximately 2,200 LF of 2" and 1.25" force main. Details of the project are contained in information and plans received at

the Division of Water on September 5, 2006.

Location : The project is located along the east bank of the West Fork of White River

starting at the White River Yacht Club and running east along 74th Street to

Ralston Avenue

at Indianapolis, Washington Township, Marion County

Section 25, T 17N, R 3E, Carmel Quadrangle

Quad Code: 3908682

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 10 09/07/2006 12:14 PM

Application # : PL-20522

Lake : Lake Wawasee

Applicant : Indiana Department of Natural Resources

Tri-County Fish and Wildlife Area

Stephen Roth

8432 North 850 East Syracuse, IN 46567-8378

Description : A new glacial stone seawall will be constructed across 45' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. A 24' by 20' area that has been washed out at the lakeward end of a boat ramp to a depth 4' below the ramp's edge will be filled will large stone to restore the area to pre-eroded conditions. Details of the project are contained in information and plans received at the Division of Water on July 25, 2006 and

August 9, 2006.

Location : Wawasee Family Fishing Area, southeast side of Lake Wawasee

near Syracuse, Turkey Creek Township, Kosciusko County

NE1/4, NW1/4, NW1/4, Section 25, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4581580 North, 611184 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20532

Lake : Big Barbee Lake

Applicant : Theresa Helms

Jame Helms

2007 South Ebright Muncie, IN 47302-4342

Description : A concrete seawall will be refaced with a layer of concrete across 80' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 7, 2006.

Location : 49 EMS B1A Lane

near Leesburg, Tippecanoe Township, Kosciusko County

NE1/4, SW1/4, NW1/4, Section 27, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4571550 North, 608375 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 11 09/07/2006 12:14 PM

Application # : PL-20534

Lake : Tippecanoe Lake

Applicant : Stephen Egelske

14931 South Richmond Posen, IL 60469-1416

Description : A steel sheet piling seawall will be constructed across 140' of the applicant's 142'

> frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on August 8, 2006 and August 18, 2006.

Location : Lot 61 in Lakeview Terrace

near Leesburg, Tippecanoe Township, Kosciusko County

SE1/4, SE1/4, SW1/4, Section 17, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4573811 North, 605487 East

: Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Statute/Rule

Rule, 312 IAC 11

Application # : PL-20536

: Lake of the Woods Lake

Applicant : Eric Kessler

21999 Kern Road

South Bend, IN 46614-9295

Description : An existing 50' by 450' channel will be dredged. Approximately 2800 cubic yards

> accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 3.5'. The excavated material will be pumped to a decant location in an upland area. Additionally, a narrow channel towards the lake being an extension of the outlet is proposed. Details of the project are contained in

information and plans received at the Division of Water on August 10, 2006.

Location : The project is located on the South end of Lake of the Woods on the outlet

> channel in Section 7 Township 34 North Range 3 East German Township Marshall County Indiana. It is approximately 3 1/2 miles southwest of Bremen

Indiana located at 4486 Plum Court Bremen Indiana. near Bremen, German Township, Marshall County

Section 7, T 34N, R 3E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20540

Lake : Webster Lake

Applicant : Clements Gremel

Clements Gremel 1110 Ridge Road

Carmel, IN 46033-2359

Description : An existing concrete seawall will be refaced with a layer of concrete across 55' of

the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 14 2006 and August 28, 2006.

Location : 46 EMS W30B Lane, Lot 10 Baughers Plat

near North Webster, Tippecanoe Township, Kosciusko County

SE¼, NE¼, NW¼, Section 14, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4575187 North, 610186 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20552

Lake : Clear Lake

Applicant : Peter Beck

925 Chesterfield Drive

Napoleon, OH 43545-2258

Description : An existing concrete seawall will be refaced with a layer of concrete across 46' of

the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 23, 2006.

Location : 806 Lake Drive

near Fremont, Clear Lake Township, Steuben County

NW1/4, NW1/4, NW1/4, Section 29, T 38N, R 15E, Clear Lake, IN-OH-MI

Quadrangle

Quad Code: 4108467

UTM Coordinates: Downstream 4622072 North, 679593 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20560

Lake : Hamilton Lake

Applicant : Steven Silberg

822 Columbine Circle Auburn, IN 46706-1321

Description : A glacial stone seawall over fiber fabric will be constructed across 60' of the

applicant's frontage. The wall's lakeward face will be located at the lake's legal shoreline. Details of the project are contained in information and plans received at

the Division of Water on August 24, 2006 and September 5, 2006...

Location : 420 Lane 219, Lots 6 and & Penn Bank

near Hamilton, Otsego Township, Steuben County

NW1/4, SE1/4, SW1/4, Section 33, T 36N, R 14E, Hamilton Quadrangle

Quad Code: 4108458

UTM Coordinates: Downstream 4600500 North, 672950 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20566

Lake : Winona Lake

Applicant : Susan Brennan

Stephen Frantz 9 Fairlane Drive

Warsaw, IN 46580-4609

Description : An existing 12" seawall will be refaced across a portion of the 100' frontage of the

applicant on Winona Lake to prevent deterioration. The refacing will consist of concrete which will be tied to the existing wall with rebar. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 6" wide layer of stone will be placed at the base of the wall for toe protection. A 30" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on August 28, 2006 and in information and

plans received at the Division of Water on September 5, 2006.

Location : Northwest corner of Winona Lake on the east side of the Kosciusko Fairgrounds

near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 14 09/07/2006 12:14 PM

Application # : PL-20567

Lake : Big Lake

Applicant : Paul Mills

1679 East Blair Road Columbia City, IN 46725

Description : The existing, deteriorated concrete boat ramp will be replaced with a new

concrete boat ramp. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 30 2006.

Location : Between Lots 4 and 5 in Channel Island Addition, approximately 100' south and

120' east of the South Highpoint Drive channel crossing near Columbia City, Noble Township, Noble County

NW¼, SE¼, NE¼, Section 32, T 33N, R 9E, Ormas Quadrangle

Quad Code: 4108535

UTM Coordinates: Downstream 4570410 North, 625405 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11